

1963, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20.

Treatment of bladder tumors by the implantation of radium-226  
gold grains. Cesk. radiol. 20 no.1:1-12 (1963).

1. Urologické oddelení nemocnice Praha 8-Bulovka.

ONCOLOGY

CZECHOSLOVAKIA

UDC 616-006.04-085.849(621.384)

HLASIVEC, Z.; Oncological Institute (Onkologicky Ustav), Prague 8,  
Director (Reditel) Dr F. VADURA.

"Present State and the Perspectives of Uses of High-Frequency  
Sources of Radiation for the Treatment of Malignant Tumors."

Prague, Casopis Lekaru Ceskych, Vol 105, No 34, 26 Aug 66, pp  
905 - 915

**Abstract:** Czechoslovak medical institutions have at present  
10 old cobalt bombs, 4 modern Czech cobalt bombs trade mark  
Chisotron, and 1 Canadian bomb suitable for movement therapy.  
There are also 2 Czech Cs bombs, and 1 betatron; this, however,  
produces only gamma radiation. A new Co radiation source and  
a betatron for irradiation with accelerated electrons will be  
received shortly from Czechoslovak production. Purchase of  
betatrons and irradiation sources producing accelerated electrons  
from foreign sources is recommended. Megavolt therapy, penetra-  
tion of the radiation, absorption in the bones, heterogeneity of  
body tissues, irradiation dispersion, filters of radiation, and  
clinical experiences of the author are described. 16 Figures,  
1 Table, 35 Western, 1 Czech reference. (Manuscript received  
1/1 Oct 65).

HLASNY, I.

Methods of improving direct-current traction motors. p. 377. (STROJNOSTROJ-  
TECHNICKY CASOPIS, Vol. 7, No. 6, 1956, Bratislava, Czechoslovakia)

EO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 12, Dec 1957. Uncl.

HLASNIK, I.

Contact resistance in liquid electric contactors used in electromagnetic pumps.  
p. 167.

ELEKTROTECHNICKY CASOPIS. (Slovenska akademia vied) Bratislava, Czechoslovakia,  
vol. 10, no. 3, 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, no. 11, Nov. 1959  
Uncl.

HLASNIK, I.

"Reaction of the armature of an electromagnetic direct-current pump for liquid metals."

Elektrotechnicky Obzor. Praha, Czechoslovakia. Vol. 48, no. 3, Mar. 1959.

Monthly list of East European Accessions (EFAI), LC, Vol. 8, No. 6, Jun 59, Unclass

Z/039/60/021/05/006/029

E140/E135

AUTHORS: Ivan Hlásnik (Engineer) and Jaroslav Schilder (Engineer,  
~~Candidate of Technical Sciences~~)

TITLE: Parametric Resonance and its Applications in Electrical  
Engineering

PERIODICAL: Slaboproudý Obzor, Vol 21, 1960, Nr 5, pp 278-283

ABSTRACT: The article reviews foreign literature on the subject.  
It deals with the principles of paramagnetic resonance,  
methods of detecting paramagnetic resonance and using it  
for measurement and stabilisation of magnetic fields,  
accurate d.c. measurement and accurate measurement of  
susceptibility values. ✓

• There are 12 figures and 9 references, of which 2 are  
Slovak, 3 English, 1 Soviet, 1 French and 1 German.

ASSOCIATION: Slovenska akademia vied, elektrotechnicke laboratorium  
(Slovak Academy of Sciences, Electrical Engineering

Card 1/1 Laboratory)

SUBMITTED: September 14, 1959

26685

Z/042/61/000/007/001/001

EO24/E135

9,4370

AUTHORS: Hlásnik, Ivan, and Měřinský, Karol

TITLE: Double- and triple-probe semiconductor elements for the simultaneous measurement of two or three components of magnetic induction

PERIODICAL: Elektrotechnický Časopis, No. 7, 1961, pp. 447-453

TEXT: In modern engineering practice it is often important to measure the vector of magnetic induction. The method of moving a probe-coil or a one-dimensional Hall-probe in the magnetic field is cumbersome and a new method is proposed by the authors. The new device differs from usual Hall-effect devices in that it can measure all three components of the vector of magnetic induction simultaneously. The double-probe, for the measurement of two components of magnetic induction, consists of a prism with square cross-section, while the triple-probe consists of an L-shaped sample of square cross-section. Two current-carrying ohmic contacts are soldered onto the square ends of the probe, which are copper-plated before soldering. The electrodes for the measurement of the Hall voltages are soldered onto the larger faces of the probes

Card 1/2

26685

Z/042/61/000/007/001/001  
E024/E135

Double- and triple-probe .....

(Ref.3: K. Meřínský, I. Hlásnik, J. Schilder. Czechoslovak patent specification no. 94189 dated October 15, 1958). The Hall voltage measured between a pair of electrodes on opposite faces is  $|R_h B_i I_n / b|$ , where  $R_h$  is the Hall coefficient of the semiconducting material,  $B_i$  is the component of magnetic induction perpendicular to the plane formed by the direction of the current  $I_n$  and the line connecting the Hall electrodes, and  $b$  is the cross-section of the device. In practice, the probes were made from monocrystalline indium antimonide and from polycrystalline indium arsenide. The authors report measurements obtained with a double-probe consisting of a 2 x 2 x 6 mm slab of InSb. The magnitude of the vector of magnetic induction was obtained with an accuracy of  $\pm 0.5\%$  and the direction to within  $\pm 0.5^\circ$ . Acknowledgments are expressed to Academician L. Cigánek for his interest.

There are 6 figures and 6 references: 4 Czech and 2 German.

ASSOCIATION: Elektrotechnické laboratórium Slovenskej akadémie vied, Bratislava (Electrotechnical Laboratory of the Slovak AS, Bratislava)

Card 2/2

SUBMITTED: April 26, 1961



S/194/62/000/010/082/084  
A055/A126

AUTHORS: Hlásnik, Ivan, Měřinský, Karol, Schilder, Jaroslav

TITLE: Hall probe for measuring simultaneously the three components of the magnetic induction vector

PERIODICAL: Referativnyy zhurnal, Avtomatika i radioelektronika, no. 10, 1962, 138, abstract 10-7-275k P (Czech. pat., cl. 21e, v. 12, no. 99862, June 15, 1961)

TEXT: In the measurement of the three components of the magnetic induction vector, based on the Hall effect, it is proposed to give the Hall probe the form of two intersecting prisms whose axes form an angle  $\theta$ , different from 0 or  $\pi$ . The feeding electrodes are soldered to the butts, which ensures the flow of the feeding current in the measuring arms in two directions forming the angle  $\theta$ . Each of the Hall electrodes is soldered in one point to the measuring arms: to one of the arms are soldered two pairs, and to the other arm one pair of the Hall electrodes. Each pair of electrodes gives a Hall voltage proportional to the magnetic induction-vector component that is perpendicular to the plane determined by

Card 1/2

S/194/62/000/010/082/084

A055/A126

Hall probe for measuring simultaneously the ....

the straight line connecting the Hall electrodes, and the direction of the vector of the current density in the corresponding arm. The probe gives on the electrodes three components of the Hall voltage that are proportional to the magnetic induction-vector components in three directions perpendicular to the indicated planes. The magnetic induction vector is determined after the calibration of the probe. To compensate the interferences from the feeding-current field, it is desirable that, during the manufacture of the probe, the electrodes of the individual pairs should be positioned on equipotential lines of this field. To simplify the measurement, it is desirable to choose  $\theta = 90^\circ$  and to solder the electrodes to the lateral walls of the rectangular prisms. The voltage proportional to the magnetic induction-vector components will then be obtained in the rectangular system of coordinates.

A.S.

[Abstracter's note: Complete translation]

Card 2/2

SCHILDER, J., inz., CSc.; HLASNIK, I., inz., CSc.; MERINSKY, K., inz.

Device for oscillographic representation of magnetic induction  
vectors of plane magnetic fields. Automatizace 6 no.6:150 Je '63.

30149-66 EWP(t)/ETI IJP(c) JD/JG

EC NR: AP6020617

SOURCE CODE: CZ/0042/65/000/009/0559/0560

AUTHOR: Hlasnik, I.; Krempasky, L'; Polak, M.

CRG: none

TITLE: Superconducting magnet of the Electrical Engineering Institute, Slovak Academy of Sciences

SOURCE: Elektrotechnicky casopis, no. 9, 1965, 559-560

TOPIC TAGS: magnet, annealing, magnetic field, superconducting alloy, superconductivity

ABSTRACT: The article describes a newly developed <sup>18</sup>superconducting magnet, the SM-1, of 50% Nb and 50% Zn, annealed two hours at 525°C, for use in investigating the behavior of superconductors in a magnetic field. The method and results of measurements are given, as well as the magnetization characteristic of the magnet. The authors thank M. Bir for help in the development of the magnet and for preparing the measurements. [JPRS]

SUB CODE: 09, 20 / SUBM DATE: none

Card 1/1

HLASNIK, Ivan, inz. CSc.; POLAK, Milan, inz.

Temperature dependence of Hall generators and its compensation.  
El tech cas 15 no. 6:345-357 '64.

1. Institute of Electrical Engineering, Slovak Academy of Sciences,  
Bratislava.

L 00534-66 EWT(1)/EWT(m)/I/EWP(t)/EWP(b)/EWA(c) JD  
 UR/0185/65/010/007/0806/0808  
 ACCESSION NR: AP5018641

AUTHOR: Hlauberman, A. Yu. (Glauber, A. Yu.); Ruvins'kyi, M. A. (Ruvinskiy, M. A.)

TITLE: Nonradiative ionization of dislocations by Wannier-Mott excitons

SOURCE: Ukrayins'kyi fizychnyy zhurnal, v. 10, no. 7, 1965, 806-808

TOPIC TAGS: exciton, dislocation, dipole ionization, recombination, optic transition, valence band, conduction band

ABSTRACT: The note presents the results of considering a simple model of a screw dislocation about whose axis  $v_d$  electrons (or holes) are located per cm of length of the dislocation. The calculation is illustrated by the example of dipole ionization. Using the law of conservation of energy and the conservation of the z-component of the quasimomentum (the dislocation field along z is uniform), expressions are obtained for the probability of the dipole ionization of the dislocation per second by nonradiative energy transfer to the exciton by the dislocation electron. An expression is also obtained for the probability of the dipole ionization of a dislocation per second by exchange nonradiative recombination when the electron of the dislocation recombines with the exciton hole and the exciton electron ionizes the dislocation by means of the energy freed in the recombination. The

Card 1/2

L 00534-66

ACCESSION NR: AP5018641

first of these expressions turns out to be independent of the electron quasimomentum along the dissociation axis. The case of dislocations, unlike that of point defects, is characterized by anisotropy--the probability depends on the angle between the axis of the dislocation and the vector  $\mathbf{r}_{01}$ , the value of the matrix element of the optical dipole transition between the valence and conduction bands at  $\mathbf{k} = 0$ . A simple relationship is obtained for the ionization probabilities in the case of impurity centers and two limiting cases are considered. Orig. art. has: 7 formulas.

ASSOCIATION: L'vivs'ky derzhuniversytet im. Franka [L'vovskiy gosudarstvennyy universitet im. Franko] (L'vov State University) 44, 55

SUBMITTED: 02Feb65

ENCL: 00

SUB CODE: SS

NR REF SOV: 002

OTHER: 002

Card 2/2

L 4539-66 EWT(1)

ACCESSION NR: AP5020696

UR/0185/65/010/008/0925/0926

AUTHORS: Hlauberman, A. Yu.; Popel', O. M.

TITLE: A photoeffect with exciton participation

SOURCE: Ukrayinsk'kyi fizychnyy zhurnal, v. 10, no. 8, 1965, 925-926

TOPIC TAGS: exciton, internal photoeffect, photoionization, semiconductor band structure, forbidden band, light absorption

ABSTRACT: A method of elementary node excitations is used to include directly the effect of the interaction of various excitation branches and describe processes stimulated as a result of this interaction by an external electromagnetic field. Qualitative results are obtained by considering a two-band model of a semiconductor and a simple crystal in which all atoms in the normal state have two s electrons and the excited state is some nondegenerate p state. For a sufficiently wide forbidden band the method of node excitations is comparatively easy to apply. In the field of the light wave the excitation Hamiltonian can be described by a sum  $H_0 + W(t)$ , where  $W(t)$ ,

Card 1/2

0901 1024



L 4539-66

ACCESSION NR: AP5020696

3  
treated as a perturbation, contains all terms describing the interaction with light. If the interactions among the quasiparticles are neglected, one obtains four terms; two of these correspond to the exciton absorption of light and the ordinary internal photoeffect. The two other terms and their conjugates describe new processes; the photoionization of Frenkel excitons is one of these and leads to an approximate expression for the absorption coefficient. The inverse process, expressed in the Hamiltonian by the conjugate term, is discussed. It is stated that the second process in which two excitons participate can be considered similarly. Orig. art. has: 7 formulas

ASSOCIATION: L'vivs'kyy derzhuniversytet im. I. Franka [L'vovskiy gosudarstvennyy universitet im. I. Franko] (L'vov State University)

SUBMITTED: 15May65

ENCL: 00

SUB CODE: OP, SS

NR REF SOV: 003

OTHER: 000

OC  
Card 2/2

L 35382-66

ACC NR: AP6026854

SOURCE CODE: CZ/0060/66/000/002/0092/0093

AUTHOR: Hlauco, Stanislav—Glauch, S. (Major; Doctor of medicine)

ORG: Psychiatric Department, Military Hospital, SNP, Ruzomberok (Psychiatrické oddelení Voj. nemocnice SNP)

TITLE: Unusual Imipramine indications

SOURCE: <sup>22</sup> Vojenské zdravotnické listy, no. 2, 1966, 92-93

TOPIC TAGS: army medicine, cancer drug, psychiatry, chemotherapy

ABSTRACT: The author discusses the application of Imipramine in treatment of cancer as suggested in 1963 by the French authors LAGARDE and CHAUVERGNE. Experience with this use of Imipramine in 2 patients is described. 75 - 150 mg per day was administered. The analgesic properties of Imipramine are discussed. [FRS: 36,83]

SUB CODE: 06 / SUBM DATE: none

Card 1/1 PP

UDC: 615.789 [547.636.1]-035.1-039

0916 2409

CZECHOSLOVAKIA

UDC

612.766.1:616-074

ZAORALEK, A.; KVETENSKY, J.; KLUST, V.; HLAUCO, S.; DOSTALOVA, M.;  
Laboratory Department (Laboratorni Oddeleni), Head (Vedouci) Dr. A. ZAORALEK;  
Internal Department (Vnitrni Oddeleni) Head (Vedouci) Dr J. KVETENSKY; Depart-  
ment of Medical Aspects of Sports (Sportovne Lekarske Oddeleni) Head (Vedouci)  
Dr V. KLUST; Psychiatric Department (Psychiatricke Oddeleni) Head (Vedouci)  
Dr S. HALUCO, Military Hospital (Vojenske Nemocnice) of the Slovak National  
Uprising (SNP), Ruzomberok.

"Some Hematological and Biochemical Symptoms Caused by Excessive Exertion"

Prague, Vojenske Zdravotnicke Listy, Vol 35, No 4, Aug 66, pp 152-155

Abstract: Influence of a march of 100 km on 12 healthy subjects was in-  
vestigated; the absolute number of neutrophil granulocytes increased, and  
of eosinophils decreased. Non-segmented neutrophils and Rieder's form of  
lymphocytes increased, blood level of EFA, cholesterol, and the beta  
fraction of blood proteins decreased. The level of ionorganic P and the  
activity of serum transaminases increased. 5 Figures, 57 references [not  
specified].

1/1

CZECHOSLOVAKIA

UDC: 612.766.1:612.014.4.9

KVETENSKY, Josef, LtCol, MD; KLUST, Vaclav, LtCol, MD; ZAORALEK, Alois, LtCol, MD;  
VLCEK, Lubos, MD; HLAUCO, Stanislav, Maj, MD; RUBES, Vaclav

"Effects of a 100-Kilometer Nonstop March on the Human Organism."

Prague, Vojenske Zdravotnicke Listy, Vol 35, No 5, Oct 66, pp 194-197

Abstract [Czech, Russian and English summaries, modified]: A brief preliminary evaluation of some changes in the organisms of persons after a 100-km nonstop march. Although in most cases the changes were insignificant, such a march is fatiguing; only physically fit persons should be allowed to participate; check-ups and medical supervision during the march should be mandatory. A tabulated statistical evaluation is presented of the before-and-after dynamometric measurements, vital capacity, blood pressure and pulse rate. Seven Soviet-bloc refs.

1/1

HLAVA, Hamis; MARSALEK, Eduard

Studies on staphylococcal pathogenicity. Cesk. epidem. mikrob. imun.  
8 no.3:189-196 May 59.

1. Mikrobiologický ústav lékařské fakulty PU v Olomouci.  
(MICROCOCCUS PYOGENS,  
virulence, determ. (Cz))

PRUCEK, J.; HLAVA, H.

Pyogenic ~~Corynebacterium~~ as a pathogen in osteomyelitis following a fracture. Acta chir. orthop. trauma. Cech. 28 no.6:546-548 D '61.

1. Klinika pro ortopedickou chirurgii PU v Olomouci, prednosta prof. dr. Arnold Pavlik Ustav lek. mikrobiologie PU v Olomouci, prednosta doc. dr. Eduard Marsalek.

(OSTEOMYELITIS microbiol) (CORYNEBACTERIUM infect)  
(FRACTURES compl)

PODIVN:SKA,I. HLAVA, H.

Determination of the effect of the combination of penicillin with chloramphenicol in vitro with reference to treatment of gynecologic inflammations. Cesk. gynek. 29 no.3:220-225 Ap'64.

1. Ustav lekarske mikrobiologie lek.fak. KU v Olomouci;pred-nosta: doc.dr.E.Marsalek.

\*

HLAVA, K., inz.

Use of component lenses in the Microma photomultiplier. Jemna  
mech opt 5 no.7:227-228 JI '60.



HLAVA, K., inz. (Praha)

Resolving power of photographic cameras. Jemna mech opt 5 no.10:  
319-324 0 '60.

KLIMA, Vaclav, inz . HLAVA, Karel, inz., C. Sc.

The meeting of 8th Commission of the Organization for Railway Adminis-  
trations Cooperation. Zel dop tech 10 nc. 1:28-29. '62

HIAVA, Karel, inz., C.Sc.

Overvoltage of semiconducting rectifiers on locomotives. Zel dop tech  
10 no.8:230-234 '62.

SLAVA, P.

Results of work in a technical-creative center in the Kodebrady Glassworks and the creative development of cut lead crystal. p. 273. (SILVER A CRYSTAL, Vol. 7, No. 9, Sept 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (SEAL) LC, Vol. 6, No. 12, Dec 1957. Uncl.

HLAVAC, F.; HRADEK, V.

For further development of governmental control of measures and weights  
in Czechoslovakia. p. 17.

NORMALIZACE. (Urad pro normalizaci) Praha, Czechoslovakia.  
Vol. 7, no. 2, Aug. 1959

Monthly list of East European Accessions (EEAI) LC, vol. 9, no. 1, Jan.  
1960

Uncl.

HLAVAC, Frantisek

Measures for increasing the efficiency of the research activity  
of the Building Research Institute in Prague. Stav vyzkum no.4:  
1-3 S '62.

1. Reditel, Vyzkumny ustav stavebni vyroby, Praha.

HLAVAC, Frantisek

Signalling the occupancy of a single-rail track. Rudy 10 no. 4:141-142.  
Ap '62

1. Vvojove stredisko, Ustredni sprava vyzkumu a tezby radioaktivnich surovin, Fribram.

HLAVAC, Frantisek

"Determining the production capacities in building" by V.  
Silha. Reviewed by Frantisek Hlavac. Pod org 17 no.7:33-33o  
Jl '69.



L 19862-65 EWT(d)/EWT(m)/FA/FA(b)/T-2/EWP(h) AEDC(a)/AFETR/AFGG(a)

MLK

AM4045111

BOOK EXPLOITATION

Z/

Hlavac, Ivo (Engineer); Vyletal, Milan, (Engineer)

B+/

Transport airplanes (Dopravni letadla) 2d enl. and rev. ed. Prague,  
Nakl. DaS, 1963. 202 p. illus., index. 5000 copies printed.

TOPIC TAGS: transport aircraft, civil air fleet, passenger aircraft

PURPOSE AND COVERAGE: The book is a reference book on transport aircraft. The book surveys the dimensions, weight, powerplants, full distribution systems, air conditioning, electric and hydraulic equipment, airspeed, passenger capacity, and other design details of 75 transport airplanes produced in different countries.

TABLE OF CONTENTS:

Introduction to the first edition -- 5

Introduction to the second edition -- 11

Card 1/6

PHASE I BOOK EXPLOITATION

CZECH/5464

Hlaváč, Ivo, Engineer, and Milan Vyleťal, Engineer

Dopravní letadla (Transportation Aircraft) [Prague] Dopravní nakl., 1960.  
183 p. 2,000 copies printed.

Tech. Ed.: Jiří Barta; Resp. Ed.: František Cívín.

PURPOSE: This reference book is intended for personnel in the Czechoslovak air transport services.

COVERAGE: The book contains basic information on international transport-aircraft fleets using Czechoslovak airports. About 70 transport aircraft, including Soviet designs, are surveyed. Articles on individual aircraft give such information as purpose, structure, equipment, performance, specifications, and include one or more photographs and drawings. Basic technical data of 63 aircraft are tabulated in a separate section for comparative reference. No personalities are mentioned. There are 16 references: 8 English, 2 Soviet, 1 German, and 5 unidentified.

Card 1/2

CZECH/5464

Transportation Aircraft

TABLE OF CONTENTS: [not given; the book is divided as follows:]

Introduction

5

Survey of Aircraft

12

References

156

Index

157

Major Airline Companies

161

Some State and [International] Registry Aircraft Markings

164

Table of Specifications

168

AVAILABLE: Library of Congress (TL685.4.H55)

Card 2/2

AC/dfk/mas  
9-19-61

KOPECKY, K., inz.; HLAVAC, J.

Mine supports subject to an excessive pressure. Uhli 3 no.12:397-400  
D '61.

1. Narodni podnik Vystavba, Ostravsko-Karvinske doly, Ostrava.

(Coal mines and mining)

HLAVAC, J.

Technological processes and the work graphs of marshaling yards. p. 314.

ZELEZNICNI DOPRAVA A TECHNIKA. (Ministerstvo dopravy)  
Praha, Estonia. Vol. 7, no. 10, 1959.

Monthly list of East European Accessions. (EEAI), Vol. 9, no. 1, Jan. 1960.

Uncl.

11 LAVAC, Jan

SURNAME, Given Names

Country: USSR, U.S.S.R.

Academic Degrees: A. S.

Affiliation: Plant-breeding station, Krasnodar, Volga 10. 00

Source: Pravda, Pravda, No 11, Nov 11, pp 604-607.

Data: "A New Variety of Rubina."

513 6414-1

CZECHOSLOVAKIA

UDC 616.28-008-1:616.21-007-009.8-036.21

KREMEHOVA, J.; BLAHA, K.; HLAVAC, J.; REISENAUER, R.; Research Institute of Endocrinology (Vyzkumny Ustav Endokrinologicky), Prague, Chief (Prednosta) Docent Dr K. SILINK; Otolaryngological Department, Polyclinic of the Faculty Hospital (Otolaryngologicke Oddeleni Polikliniky Fakultni Nemocnice), Prague, Head (Vedouci), Docent Dr K. ZEMAN

"Contribution to the Investigation of Endemic Degeneration. IV."

Prague, Časopis Lékařů Českých, Vol 106, No 7, 17 Feb 67, pp 187 - 193

Abstract [Authors' English summary modified]: Investigation of the incidence of impaired hearing and morphological anomalies of the ENT system in endemic degeneration showed the following: In the group of the Policka area more disorders of the ENT system were found than in the Sedlcany area. Outstanding was the incidence of deafmutism accompanying cretinism, and the incidence of cleft palate and lip. Morphological anomalies of the face were more frequent in the Sedlcany area. Gothic palates in impaired development of facial bones were frequent. In manifest cretinism perceptive hearing disorders were frequent in both groups. 4 Figures, 11 Tables, 12 Western, 7 Czech references. (Ms. rec. 1/1)

**C**

**HENRY J.**

**1ST AND 2ND COVER**

**SUBJECTS AND PROPERTIES INDEX**

**3RD AND 4TH COVER**

**5**

Influence of small quantities of  $\text{Al}_2\text{O}_3$  on some properties of glass produced by the Fourcault process. *Izv. Akad. Nauk SSSR Tekhn. Sci., Ser. Chem., No. 10, p. 123-28 (1960).* The influence of small quantities of  $\text{Al}_2\text{O}_3$  (up to 3%) on the liquidus temperature, viscosity, chemical resistance, and batch melting rate of Fourcault glasses was investigated. A quantity of 1.0% was found most favorable for the drawing process, especially as to liquidus temperature, very favorable for viscosity and chemical resistance, but less favorable for batch melting and homogenization.

**NJK**

**ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION**

**FROM STATION**

**COLLECTOR**

**DATE RECEIVED**



HLAVAC, J.

"Technical Factory Libraries in the Machine Industry." p. 225, Praha, Vol. 2, no. 5, May 1954.

SO: East European Accessions List, Vol. 3, No. 9, September 1954, Lib. of Congress

HLAVAC, J.

Bottle glass with high aluminum content and its ability to crystalize,  
p. 276, SKLAR A KERAMIK (Ministerstvo lehkeho prumyslu) Praha, Vol.4,  
No. 10, Oct. 1954

SOURCE: East European Accessions List (EEAL) Library of Congress,  
Vol. 4, No. 12, December 1954

HLAVAC, J.

For a higher level of technical literature.

p. 340

Vol. 3, no. 8, 1955

ZA SOCIALISTICKOU VEDU A TECHNIKU

Praha, Czechoslovakia

Source: Monthly List of East European Accessions, (EEAL), LC, Vol. 5, no. 2  
February 1956, Uncl.

Czechoslovakia/Chemical Technology. Chemical Products and Their Application --  
Silicates. Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 5222

Author: Hlavac, Jan

Institution: None

Title: Ceramic Pastes for Atomic Reactors

Original  
Publication: Sklar a keramik, 1956, 6, No 4, 87-90

**Abstract:** There is shown the diagram of a heterogeneous atomic reactor, and the principle of its operation is described. Requirements which must be met by materials used in building of atomic reactors have been worked out and substantiated. Ceramic materials, in the form of oxides and carbides, can be used to build decelerators of fast neutrons (moderators), reflectors, as coatings of metal parts, and as other building materials, and also for radiation protection (mostly against gamma radiation). In moderators can be utilized graphite, BeO and Be<sub>2</sub>C; a disadvantage of the latter is its poor stability to the action of

Card 1/2

Czechoslovakia, Chemical Technology. Chemical Products and Their Application --  
Silicates. Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 5222

Abstract: steam, even at a low temperature. Graphite and BeO are used most frequently for reflectors. For the protection of metal parts of reactors against oxidation and corrosion, there have been proposed refractory coatings based on boron-free fritt with additions of BaO,  $P_2O_5$ , BeO, CaO, ZnO,  $TiO_2$ ,  $Cr_2O_3$  and  $CeO_2$ . A good building material is sintered corundum. For the protection of the servicing personnel of atomic stations, from neutrons and gamma-radiation, use is made of  $B_4C$  and glasses having a high content of oxides of heavy elements ( $PbO$ ,  $WO_3$ ) or CdO and  $B_2O_3$ . Data concerning physical and atomic characteristics of ceramic materials are given.

Card 2/2

HLAVAC, J.

HLAVAC, J. Comparison of malleable properties of container glass with data on viscosity. p. 205

Vol. 6, no. 8, Aug. 1956  
SKLAR A KERAMIK  
TECHNOLOGY  
Praha, Czechoslovakia

So: East European Accession Vol. 6, no. 2, 1957

HEAVAC, J.

15  
61. Electrical resistance of cerium products. R. Barta, M. Bartuska, J. Hevac, and S. Prochazka (Silikdy, I, No. 1, 77, 1957). In Czech. The effect of the purity and fineness of the  $Al_2O_3$  and the type of additives on the specific resistance of sintered alumina body was examined. The specific resistance was determined between 400° and 700° using D.C. of low voltage. Alkaline impurities considerably reduce electrical resistance;  $SiO_2$ ,  $CaO$ , and  $Fe_2O_3$  in small proportions have no effect. As additives,  $Fe_2O_3$ ,  $TiO_2$ , and  $Cr_2O_3$  have virtually no effect;  $V_2O_5$  is harmful;  $MnO$  and  $Ca$  compounds are beneficial. Fine-grain materials have a higher resistance than coarse materials. (5 figs., 5 tables.)

90.9

KLAVAS, J.

electric furnaces for thermal analysis. p. 192.  
(SILBERKY, Vol. 1, No. 2, 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (SEAL) LC, Vol. 6, No. 12, Dec 1957. Uncl.



YAVAS, J.

Temperature measurement by means of thermocouples. p. 122.  
(SILIKATY, Vol. 1, No. 2, 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (MEAL) 10, Vol. 6, No. 12, Dec 1957. Uncl.

Distr: 4E2c

5  
1  
99  
J8  
X  
Influence of alkali content on the properties of artificial white corundum for grinding purposes. Jaroslav Brecha, Miloslav Bartulka, Jan Hlavaty and Svatka Prochazka. Silicates, 2, 102-8 (1958). Alkali and CaO are coated in the block upper parts of the molten corundum substance which gives rise to scaly crystals of  $\beta$ -corundum. An abrasive material contg. a substantial percentage of  $\beta$ -corundum has greater tendency to be splintered and chipped. Oscar Quisenberry

HLAVAC, J.

Distr: 4E3d/4E2c  
Apparatus for measurement of high-temperature thermal  
conductance of sintered ceramic materials. *Synte. Pro-  
cházka and J. Hlaváček, Stavby 2, 200-6 (1958).*—The  
thermal conductance of sintered ceramic materials at 200-  
600° is detd. on disks of 2-4 cm. diam. and 0.6 cm. thick-  
ness. The temp. gradient is measured by Ag and Pt thermo-  
elements plated on the specimen surface. The accuracy is  
±10%. H. Morawetz

HLAVAC, Jan

Kinetics of the reaction between  $\text{Al}_2\text{O}_3$  and  $\text{MgO}$  in the solid state.  
Sber chem. tech. no. 3, part 1:405-415 '59.

1. Katedra technologie silikatu, Vysoka skola chemicko-technologicka,  
Praha.

HLAVAC, Jan

On the calcination of  $Al_2O_3$  for the production of sintered corundum.  
Sbor chem tech no.3, part 1:417-424 '59.

L. Katedra technologie silikatu, Vysoka skola chemicko-technologicka,  
Praha.

COUNTRY : JAPAN  
 CATEGORY : Scientific Technology, Chemical Products, Al  
 Ref. Jour. : J. Ceram. Soc. Japan, Part 1, Ceramics, 1968, No. 1, 1372  
 AUTHOR : Hayakawa, J.  
 TITLE : Foundations of Firing Theory

ORIG. PUB. : Silikaty, 1957, 3, No 2, 177-192

ABSTRACT : A review article with exposition of the principal theories of firing (F) of ceramic materials in a solid phase at high temperatures is presented. The study of the various theories of F proposed leads the author to the conclusion that for vitreous materials the Frenkel and Mackenzie-Shuttleworth equations best

\*Materials. Concrete. Ceramics

1/4

H-28

COUNTRY : JAPAN  
 CATEGORY :  
 Ref. Jour. : J. Ceram. Soc. Japan, 1968, No. 1, 1372

ORIG. PUB. :

ABSTRACT : The firing of ceramic materials in a solid phase at high temperatures is reviewed. The principal theories of firing (F) of ceramic materials in a solid phase at high temperatures are presented. The study of the various theories of F proposed leads the author to the conclusion that for vitreous materials the Frenkel and Mackenzie-Shuttleworth equations best describe the firing process. From the present study, the following principal conclusions may be drawn: 1) The

1960, Vol. 1, No. 1, 1960, No. 1

2010	2011	2012
2013	2014	2015
2016	2017	2018

• • •

[illegible]

34

1529

**APPROVED FOR RELEASE: 08/10/2001**

CIA-RDP86-00513R000618030002-

## APPROXIMATE

ARG. JOUR. : 1960, No. 1

[illegible]

1000. 1922. 2

ABSTRACT : This lecture, which may be collected by in-  
cluding a certain number of autonomous sets  
(impurities) into the paraffin chain,  
leads to a new kind of polymer; it is a  
polymer with small particles, known as  
"polymer with small particles" (PSP).

*Schizothorax*

HLAVAC, J.

"Sintering in the presence of the melting." p. 279.

SILIKATY. (CESKOSLOVENSKA VEDECKA TECHNICKA SPOLECNOST PRO PRUMYSL SILIKATU PRI  
CESKOSLOVENSKÉ AKADEMII VED.) Praha, Czechoslovakia, Vol. 3, no. 3, 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September 1959.  
Uncl.



BARTA, Rudolf, prof., inz., doktor technických ved; BARTUSKA, Miloslav;  
HLAVAC, Jan; PROCHAZKA, Svante

High-corundum materials for electric insulation and electronics. Sbor  
chem tech no.3, part 1:425-431 '59.

1. Katedra technologie silikatu, Vysoka skola chemicko-technologicka,  
Praha.

Z/012/61/000/001/003/003  
E112/E435

AUTHORS: Bartuška. Miloslav and Hlaváč, Jan  
TITLE: Microscopic Study of the Sintering of  $\text{Al}_2\text{O}_3$   
PERIODICAL: Silikáty, 1961, No.1, pp.59-61

TEXT: The paper describes the preparation and properties of 2 - 20 micron spheres of  $\text{Al}_2\text{O}_3$ , used as model substances for the study of sintering phenomena. A white, fused corundum with 99.5%  $\text{Al}_2\text{O}_3$  was heated in a standard Verneuil furnace by means of a hydrogen-oxygen flame and the corundum particles which fused into spheres were collected in a container filled with water. The spherical corundum particles retained their shape on cooling. X-ray analysis revealed that as a result of comparatively rapid cooling,  $\text{Al}_2\text{O}_3$  had been transformed into its low-temperature isotropic modification, very similar to the  $\gamma$ -modification, which on heating to a suitable temperature, changes to the  $\alpha$ -form. Photomicrograms are shown, indicating a small proportion of the  $\alpha$ -modification in the prepared specimen (400x magnification, sporadic light particles). The specimen had a specific weight = 3.74, which is slightly less than  $\alpha$ - $\text{Al}_2\text{O}_3$  and more than  $\gamma$ - $\text{Al}_2\text{O}_3$ .  
Card 1/2

Microscopic Study of ...

Z/012/61/000/001/003/003  
E112/E435

Sintering of the model substance was followed microscopically. Slight changes were noticed on reaching 1350°C; the originally smooth surface of the spheres showed a slight roughening. The character of the spheres remained unchanged on heating to 1500°C, the powder particles did not weld together. Interface growth was noticed on reaching 1750°C. Increase of temperature was followed by rapid interface increase; the pores filled in and ultimately they disappeared completely. The process was accompanied by a pronounced deformation of the original spheroids. Deformation was not concomitant with recrystallization. The individual components of the compact were still identifiable by microscope even after complete welding. There are 15 figures (9 photomicrograms of sintered Al<sub>2</sub>O<sub>3</sub>spheres; Debyeogram of low-temperature modification of Al<sub>2</sub>O<sub>3</sub>; Debyeogram of Al<sub>2</sub>O<sub>3</sub> after conversion to α-modification; Differential thermal analysis graph of low-temperature modification of Al<sub>2</sub>O<sub>3</sub>), and 8 references: 1 Soviet and 7 non-Soviet.

ASSOCIATION: VŠCHT, Praha (VŠCHT, Prague)

SUBMITTED: June 10, 1960

Card 2/2

HLAVAC, Jiri, MUDr.

Rupture of hypopharynx caused by indirect injury. Cesk. otolar. 6  
no.3:140-141 June 57.

1. KUNZ v Usti nad Labem, prednosta prim. MUDr Karel Zeman.  
(PHARYNX, rupt.  
traum. of hypopharynx (Cz))

HLAVAC, J.  
MELLAN, J.; HLAVAC, J.

Pathogenic deafness. Cesk. psychiat. 53 no.2:117-121 Mar 57.

1. Psychiatrické a ušní oddelení KUNZ v Usti nad Labem.  
(HEARING DISORDERS  
psychogenic deafness (Cs))

BLAHA, K.; HOUSTKOVA, E.; HLAVAC, J.

On the effect of fluorine compounds on the upper respiratory tract. Cesk.otolar.10 no.1:38-42 F '61.

1. Katedra ORL, vedouci akademik A. Precechtel.  
(FLUORIDES toxicol)  
(RESPIRATORY SYSTEM dis)

BLAHA, K.; HOUSTKOVA, E.; HLAVAC, J.

Qualitative changes in the bacteria flora of the upper respiratory tract in workers exposed to industrial poisons. Acta univ. carol. [med.] Suppl. 14:229-236 '61.

1. Katedra otorinolaryngologie fakulty vseobecného lékařství University Karlovy v Praze, přednosta akademik A. Precechtel Otorinolaryngologické oddělení fakultní polikliniky, přednosta doc. dr. K. Blaha.  
(RESPIRATORY SYSTEM microbiol) (AIR POLLUTION)  
(POISONS) (OCCUPATIONAL DISEASES)

BLAHA, K.; HOUSTKOVA, E.; HLAVAC, J.

Clinical pathology of the upper respiratory tract and larynx  
in welders. Cesk. otelaryng. 12 no.3:161-167 Je '63.

1. Katedra ORL fak. vseob. lek. KU v Praze, vedouci prof. dr.  
K. Sedlacek.

(LARYNGITIS) (RHINITIS)  
(OCCUPATIONAL DISEASES) (WELDING)



L 10477-66

ACC NR: AP6003735

SOURCE CODE: CZ/0017/65/054/002/0066/0073

AUTHOR: Hlavac, Josef--Glavach, Y. (Engineer)

36  
B

ORG: V. I. Lenin Plants, n. p., Plzen (Zavody V. I. Lenina, n. p.)

TITLE: Cooling system of the Czechoslovak 235-mva turboalternator

SOURCE: Elektrotechnicky obzor, v. 54, no. 2, 1965, 66-73

TOPIC TAGS: electric rotating equipment, electric engineering

ABSTRACT: The article states the principles of designing a cooling system for a turboalternator and examines the individual elements in detail. The methods and brief results of research work done on each newly developed element are given. Special attention is given to verification of the water cooling of the stator winding, the hydrogen cooling of the rotor winding, the axial cooling of the active stator iron and to the design of the compressor. Orig. art. has: 18 figures, 4 formulas, and 1 table. [JPRS]

SUB CODE: 09 / SUBM DATE: 12Nov64 / ORIG REF: 001 / OTH REF: 004

HW

Card: 1

UDC: 621.313.322.017.72

FIC, Vlastimil; HLAVAC, Josef

Activities of the Grape Culture and Research Station in Mutenice.  
Vestník CSAZV 8 no. 1:57-59 '61. (EEAI 10:5)

1. Vyskumny ustav pre vinohradnictvo a vinarstvo Pobočky  
Československé akademie polohospodarských vied.  
(Czechoslovakia—Agriculture)

HLAVAC, Josef, inz.

Some notes on cooling. El tech obzor 52 no.3:147 Mr '63.

1. Zavody V.I. Lenina, n.p., Plzen.

HLAVAC, Josef, inz.

Transverse cooling of synchronous machine pole coils. El tech  
obzor 53 no.7:353-360 JI'64

1. Zavody V.I. Lenina National Enterprise, Plzen.

L 64684-65 EWP(e)/EWP(i)/EWP(b) Wh

ACCESSION NR: AP5018889

CZ/0012/65/000/005/0237/0242

AUTHOR: Hlavac, J.<sup>44</sup> (Glavach, Ya.); Vaskova, L.<sup>44</sup> (Vashkova, L.)

TITLE: Crystallization of reduced silica glass in an oxidizing atmosphere

SOURCE: Silikaty, no. 3, 1965, 237-242

TOPIC TAGS: silica, glass, crystallization, chemical reduction, oxidation, chemical kinetics

ABSTRACT: A long-term measurement of the crystallization of reduced silica glass in the air was carried out. The dependence of the thickness of the crystalline layer on time is at first roughly parabolic. After a longer period of time the rate of the growth of the layer is stabilized at a constant value. This is caused by the fact that simultaneously with the crystallization, oxidation of the silica glass takes place, which is governed by the diffusion of oxygen through the oxidized layer. On the basis of this idea it is possible to divide the "thickness of crystalline layer-time" dependence into three sections: linear, parabolic, and again linear. In the last phase the crystalline layer gets into the inner layers of the glass which have not yet been oxidized and therefore it grows in this area.

Card 1/2

L 64684-65

ACCESSION NR: AP5018889

2  
at a constant rate corresponding to reduced glass. The calculation of kinetic constants from the first two sections of the crystallization curve is inaccurate. The final linear section may be used. The activation energy of the crystallization process thus calculated was, in the glass samples examined, 53 and 57 kcal/mol, which are values lower than those given in the literature for stoichiometric silica glass. Orig. art. has: 5 figures.

ASSOCIATION: Katedra technologie silikatu, VSCET, Prague (Department of Silicate Technology, Institute of Chemical Technology) 44

SUBMITTED: 15 Jan 65

ENCL: 00

SUB CODE: KT, CC

NO REF SOV: 002

OTHER: 003

dm  
Card 2/2

HLWAC, Lumir

Dolni Posazavi. (Lower Sazava Valley; a regional tourist guide. 1st ed. illus.) Prague, St. telovychovne nakl., 1956. 34 p.

Bibliograficky katalog, CSR, Ceske knihy, No. 34, 1 Oct 57. p. 738.

HLAVAC, LUMIR

Ceskobrodsko a Kolinsko. Praha, Sportovni a turisticke nakl., 1957. 113 p.  
(Rada oblastnich turistickych pruvodcu, sv. C. 19) (The Cesky Brod and  
Kolin regions; a tourist guide. illus., map)

DS

Not in DLC

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,  
April 1958



HTAVAC, LUMIR

"Voticko. Praha, Soirtivnu a turisticke maki., 1957. 144 p. (Rada oblastnich turistickych pruvodcu, sv. 11) (The Votice re ion; a tourist guide. illus., maps)"

DS Not in DLC

P. 144 (Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 7, July 1958

HLAVAC, ...

"Portable tester of electric equipment."

ELEKTROTECHNIKA, Praha, Czechoslovakia, Vol. 14, no. 6, June 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September 1959.

Unclassified.

USACEV, S.; HLAVAC, T.

Artificial radioactivity of the atmosphere in the period July -  
December, 1958. Acta r nat Univ Com 6 no.7:343-374 '61.

1. Katadra fyziky, Universita Komenskeho, Bratislava,  
Smralsova 2.

1  
 2  
 3  
 4  
 5  
 6  
 7  
 8  
 9  
 10  
 11  
 12  
 13  
 14  
 15  
 16  
 17  
 18  
 19  
 20  
 21  
 22  
 23  
 24  
 25  
 26  
 27  
 28  
 29  
 30  
 31  
 32  
 33  
 34  
 35  
 36  
 37  
 38  
 39  
 40  
 41  
 42  
 43  
 44  
 45  
 46  
 47  
 48  
 49  
 50  
 51  
 52  
 53  
 54  
 55  
 56  
 57  
 58  
 59  
 60  
 61  
 62  
 63  
 64  
 65  
 66  
 67  
 68  
 69  
 70  
 71  
 72  
 73  
 74  
 75  
 76  
 77  
 78  
 79  
 80  
 81  
 82  
 83  
 84  
 85  
 86  
 87  
 88  
 89  
 90  
 91  
 92  
 93  
 94  
 95  
 96  
 97  
 98  
 99  
 100  
 101  
 102  
 103  
 104  
 105  
 106  
 107  
 108  
 109  
 110  
 111  
 112  
 113  
 114  
 115  
 116  
 117  
 118  
 119  
 120  
 121  
 122  
 123  
 124  
 125  
 126  
 127  
 128  
 129  
 130  
 131  
 132  
 133  
 134  
 135  
 136  
 137  
 138  
 139  
 140  
 141  
 142  
 143  
 144  
 145  
 146  
 147  
 148  
 149  
 150  
 151  
 152  
 153  
 154  
 155  
 156  
 157  
 158  
 159  
 160  
 161  
 162  
 163  
 164  
 165  
 166  
 167  
 168  
 169  
 170  
 171  
 172  
 173  
 174  
 175  
 176  
 177  
 178  
 179  
 180  
 181  
 182  
 183  
 184  
 185  
 186  
 187  
 188  
 189  
 190  
 191  
 192  
 193  
 194  
 195  
 196  
 197  
 198  
 199  
 200  
 201  
 202  
 203  
 204  
 205  
 206  
 207  
 208  
 209  
 210  
 211  
 212  
 213  
 214  
 215  
 216  
 217  
 218  
 219  
 220  
 221  
 222  
 223  
 224  
 225  
 226  
 227  
 228  
 229  
 230  
 231  
 232  
 233  
 234  
 235  
 236  
 237  
 238  
 239  
 240  
 241  
 242  
 243  
 244  
 245  
 246  
 247  
 248  
 249  
 250  
 251  
 252  
 253  
 254  
 255  
 256  
 257  
 258  
 259  
 260  
 261  
 262  
 263  
 264  
 265  
 266  
 267  
 268  
 269  
 270  
 271  
 272  
 273  
 274  
 275  
 276  
 277  
 278  
 279  
 280  
 281  
 282  
 283  
 284  
 285  
 286  
 287  
 288  
 289  
 290  
 291  
 292  
 293  
 294  
 295  
 296  
 297  
 298  
 299  
 300  
 301  
 302  
 303  
 304  
 305  
 306  
 307  
 308  
 309  
 310  
 311  
 312  
 313  
 314  
 315  
 316  
 317  
 318  
 319  
 320  
 321  
 322  
 323  
 324  
 325  
 326  
 327  
 328  
 329  
 330  
 331  
 332  
 333  
 334  
 335  
 336  
 337  
 338  
 339  
 340  
 341  
 342  
 343  
 344  
 345  
 346  
 347  
 348  
 349  
 350  
 351  
 352  
 353  
 354  
 355  
 356  
 357  
 358  
 359  
 360  
 361  
 362  
 363  
 364  
 365  
 366  
 367  
 368  
 369  
 370  
 371  
 372  
 373  
 374  
 375  
 376  
 377  
 378  
 379  
 380  
 381  
 382  
 383  
 384  
 385  
 386  
 387  
 388  
 389  
 390  
 391  
 392  
 393  
 394  
 395  
 396  
 397  
 398  
 399  
 400  
 401  
 402  
 403  
 404  
 405  
 406  
 407  
 408  
 409  
 410  
 411  
 412  
 413  
 414  
 415  
 416  
 417  
 418  
 419  
 420  
 421  
 422  
 423  
 424  
 425  
 426  
 427  
 428  
 429  
 430  
 431  
 432  
 433  
 434  
 435  
 436  
 437  
 438  
 439  
 440  
 441  
 442  
 443  
 444  
 445  
 446  
 447  
 448  
 449  
 450  
 451  
 452  
 453  
 454  
 455  
 456  
 457  
 458  
 459  
 460  
 461  
 462  
 463  
 464  
 465  
 466  
 467  
 468  
 469  
 470  
 471  
 472  
 473  
 474  
 475  
 476  
 477  
 478  
 479  
 480  
 481  
 482  
 483  
 484  
 485  
 486  
 487  
 488  
 489  
 490  
 491  
 492  
 493  
 494  
 495  
 496  
 497  
 498  
 499  
 500  
 501  
 502  
 503  
 504  
 505  
 506  
 507  
 508  
 509  
 510  
 511  
 512  
 513  
 514  
 515  
 516  
 517  
 518  
 519  
 520  
 521  
 522  
 523  
 524  
 525

HL VAC, V.

Hlavac, V. Contribution to the malacological topography of the Czechoslovak Republic. I. p. 59. CASOPIS; ODDIL PŘÍRODOVEDNÝ. Praha. Vol. 123, no. 1, 1954.

SO: Monthly List of East European Accessions, (EMAL), LC, Vol. 4, No. 11, No. 1955, Uncl.

HLAVAC, V.

A few critical notes on B. Hribova's article The Importance of Historical Meteorologic Reports for Contemporary Climatology published in Meteorologicke zpravy, v. 9, no. 5/6, 1956.

p. 109 (METEOROLOGICKE ZPRAVY) Vol. 10, no. 4, Aug. 1957,  
Praha, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 3,  
March 1958

ELIAH, A.

Hlavacek, A. Geum aleppicum Jacq. in Banska Bystrica. p.62.

Vol. 10, no. 1, 1955 BIOLOGIA Bratislava, Czechoslovakia

SO: Monthly List of East European Accessions, (EEL), LC, Vol. 5, No. 2  
February, 1956

HLAVACEK, A.

Hlavacek, A. Gallium absconditum Borb. p.209.

Vol. 10, no.2, 1955 BIOLOGIA Bratislava, Czechoslovakia

SO: Monthly List of East European Accessions, (MLAL), LC, Vol. 5, No. 2  
February, 1956



HLAVACEK, A.

Cerastium arvense L. ssp. matrense (Kit.) Jav. in the Little Carpathians.

p. 690 (BIOLOGIA) Vol. 11, no. 11, 1956,  
Bratislava, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 3,  
March 1958

ELZOVIA, J.

The sundew *Utricularia rotundifolia* L. at Ianska Bystrica and vicinity, and its occurrence in Slovakia. p. 705.  
(ROKOCI, Vol. 11, no. 12, 1966, Bratislava, Czechoslovakia.)

SC: Monthly List of East Europeans Acquisitions (MEAL) LC, Vol. 6, no. 12, December 1957. Incl

HLAVACEK, A.

Occurrence of the violet, Viola palustris L. in Slovakia.

P. 414, (Biologia) Vol. 12, no. 6, 1957, Praha, Czechoslovakia

SO: Monthly Index of East European Acessions (EEAI) Vol. 6, No. 11 November 1957

HLAVACEK, A.

"S. Kupcok's Prispevok k poznaniu flory okoli Stievnice a Polanica  
(Flora of the Hanska Stievnica and Polanec Areas); a book review."

p. 232 (Biologia, Vol. 13, no. 3, 1958, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) 13, Vol. 7, no. 2,  
September 1958

HLAVACEK, A (Aly)

SURNAME (in caps); Given Names

Country: Czechoslovakia

Academic Degrees:

Affiliation: Balneological Research Institute (Vyzkumny ustav balneologicky)  
Marianske Lazne

Source: Prague, Fysiatricky Vestnik, Vol XXXIX, No 3, June 1961,  
pp 177-182

Date: "Hungarian Rheumatological Conference in Budapest, 1-3  
December 1960."

Author(s):

KRIZEK, V, Dr  
HLAVACEK, A, Dr

131

CEPEK, Zd.; HLAVACEK, Boh.

Fate of a nailed subtrochanteric fracture in Albers-Schonberg's disease.  
Acta chir. orthop. traum. cech. 26 no.2:145-148 Mar 59.

1. Chirurg. odd. predn. dr. Zd. Cepek; Rentgenolog. odd. predn. dr. Boh.  
Hlavacek OUNZ Jindr. Hradec.

(OSTEOPETROSIS, compl.

subtrochanteric fract. of femur surg., intramedullary nail  
fraction (Cz))

(FEMUR, fract.

subtrochanteric fract. in osteopetrosis, surg. intramedullary  
nail fixation (Cz))

CEPEK, Zdenek; HLAVACEK, Bohdan.

Phytobezoar and gastric ulcer. Rozhl. chir. 38 no.8:530-535 Aug 59.

1. Chirurg. oddeleni OUNZ Jindr. Hradec. prednosta dr. Zdenek Cepek  
Rentgenolog. oddeleni OUNZ Jindr. Hradec. prednosta dr. Bohdan  
Hlavacek.

(BEZOARS, compl.) (PEPTIC ULCER, compl.)

CEPEK, Zd.;HLAVACEK, Bohdan

Reflex disorders of the esophagus, stomach and larynx caused by  
a pharyngoesophageal diverticulum. Rozhl. chir. 39 no.3:164-167  
Mr '60

1. Chirurg. oddeleni, predn. MUDr. Zdenek Cepek, rontgenolog.  
oddeleni, predn. MUDr. Bohdan Hlavacek, OUNZ v Jindrichove Hradci.

— (GASTROENTEROLOGY dis.)

(PHARYNX dis.)

(ESOPHAGUS dis.)

(DIVERTICULOSIS compl.)



112 HV H-2K, I

CZECHOSLOVAKIA/Chemical Technology - Chemical Products and Their Application. Fermentation Industry. I-12

Abs Jour : Ref Zhur - Khimiya, No 1, 1958, 2846

Author : Hlavacek, F.

Inst :

Title : Stability of Beer During the Autumn Period

Orig Pub : Kvasny prumysl, 1955, 1, No 9, 197-198

Abstract : A deterioration of the conditions of beer manufacture, which is observed during the autumn period (warm water containing an increased amount of pathogenic microorganisms, malt of higher moisture content, hops of lower antiseptic properties, air containing a greater amount of microorganisms), brings about a lowering of the quality of beer and a decrease of its stability. The following is recommended: 1) prevention of increase in moisture content of the malt that is to be used in autumn, which is best effected by keeping it under most

Card 1/2

CZECHOSLOVAKIA/Chemical Technology - Chemical Products and Their Application. Fermentation Industry. I-12

Abs Jour : Ref Zhur - Khimiya, No 1, 1958, 2846

most favorable conditions available, with limited ventilation, 2) storage of hops in cooled warehouses. To destroy enzymes and attain more complete coagulation of proteins, intensive brewing of wort with hops should be carried out. 3) rapid dermentation of wort, 4) more strict checking of the quality of yeast.

Card 2/2

HLAVACEK, F.

Saccharification and its difficulties. p. 25. (Kvasny Prumysl, Vol. 3, No. 2, Feb 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957, Uncl.

HLAVACEK, F.

A. Lhotsky's Technicka kontrola sladarske a pivovarske vyroby (Technical Control in the Malt and Brewing Industries): a book review. p. 72.  
(Kvasny Prumysl, Vol. 3, No. 3, Mar 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

NYA 101, P.

The brewing industry in the USA. n. 175. (EVA NY PRUMYSL, Vol. 3, No. 3.  
Aug 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (SEAL) IC, Vol. 6, No. 12, Dec 1957. Incl.

ANTIK HLAVACEK

CZECHOSLOVAKIA / Chemical Technology, Chemical Products H  
and Their Application, Part 3. - Fer-  
mentation Industry.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 62558.

Author : Frantisek Hlavacek.

Inst : Not given.

Title : Brewing Shop Equipment of New Construction.

Orig Pub: Kvasny prumysl, 1957, 3, No 12, 270 - 272.

Abstract: New automatic constructions (C) of brewing shops and of separate improved apparatus for shops of the old type shown at the exhibition of brewery equipment at Munich are described. The following C-s are interesting: 1/ The block brewery (B) of the A. Ziemann company - two or multiple-vessel - constructed as a well insulated compact block, in which the brewing vessels are arranged separately, one above another. That

Card 1/3

CZECHOSLOVAKIA / Chemical Technology, Chemical Products H  
and Their Application, Part 3. - Fer-  
mentation Industry.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 62558.

Abstract: B saves much space, heat and building materials, the yield of wort being the same as that of the best B-s of the usual C. It is controlled automatically from one place. 2/ The hydroautomatic B of the Lenz system, made by Steinecker Company, consisting of a crusher, a tetrahedral vessel with a slanted bottom and a round straining vat arranged on the same level. Malt is washed in that B before being crushed and again drenched with water for swelling. A continuous water flow is foreseen in the crusher, that water circulates between the crusher and the mash vat. The B is equipped with automatic remote control instruments. 3/ B of a tower construction of the Weigel-Werk Company, with

Card 2/3

14

MLAVACEK, F.

Continuous processes in breweries, experiments and possibilities; a report on the lecture of Hans G. Schultz-Berndt. p. 227.

KVASNY PRUMSYL. Praha, Czechoslovakia. Vol. 5, no. 10, Oct. 1959.

Monthly List of East European Accessions (WEAI), LI, Vol. 5, no. 2, Feb. 1960.  
Uncl.

HLAVACEK, F.

"Course of beer brewing" by Jean De Clerck. Reviewed by F. Hlavacek.  
Kvasny prum 9 no.2:41-42 F '63.

HLAVACEK, F.

"Handbook of brewery practice" by Karl Lense. Reviewed by  
F. Hlavacek. Kvasny prum 10 no.11:261 N '64.



HLAVACEK, Frantisek

New trends in the malting and brewing technology. Pt.2.  
Kvasny prum 11 no.2:30-37 F '65.

"German-Czech and Czech-German chemical technology dictionary"  
edited by [inz.] J.Gottwald, Z.Jouklova. Reviewed by F.Hlavacek.  
Ibid.:46

1. Chief Editor of "Kvasny prumysl." Submitted December 1, 1964.

11201101K, I

MD ✓ Analytical determination of degree of modification of malt. V. Salaz and I. Hlaváček (*Braunell*, 1955, 83, B, 1069—1073, 1098—1100).—Single determinations based on extract differences as between 90 and 40% or 90 and 25% fine meal are not sufficiently accurate for use in practice. The utility of the Kolbach value is limited by several factors. Simplified determinations of Hartong values based on measurements of  $\eta$  at 85° (Höppler apparatus) afford the best and most expeditious means for evaluating the degree of modification and liquefying capacity of malts and for checking the progress of malting. A nomogram is given for converting the observed value for  $\eta$  to the basis of 10% extract.

P. S. ARYE

(1)

HLAVACEK, I. ; KALENDA, V.

HLAVACEK, I. ; KALENDA, V. Balance of yield in a control batch. p. 169

Vol. 2, no. 8, Aug.:1956  
KVASNY PRUMYSL  
TECHNOLOGY  
Praha, Czechoslovakia

So: East European Accession Vol. 6, no. 2, 1957

HLAVACEK, I. KALENDA, V.

Evaluation of malt cracking based on the Hartong Number. p. 73.

(Kvasny Prumysl. Vol. 3, no. 4, Apr. 1957. Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 10, October 1957. Uncl.